



Made in France



5 year guarantee



Desktop screens

# Standard



# Design


## Screen composition

- 1 A standard fabric screen is composed of 2 layers of XTREME Plus fabric, rated M1 fire-resistant, applied to a 6 mm thick MDF panel.
- 2 Standard melamine screen composed of one melamine covered 8mm thick MDF panel.

## Frame

- 3 The screens are inserted into an aluminium frame with a lacquered white or aluminium grey finish.
- 4 Standard desktop screens : uprights (section 22 x 40mm) and top cross-bars (similar profile) are cut at 45° to form a 90° join, supplemented by two ø 3.5 mm screws holding the structure together at the extremities. Uprights and lower section cross-bar (section 14 x 25) assembled by means of a 4mm thick steel plate coated in epoxy paint and four ø 3.5 mm screws holding the structure together at the extremities.
- 5 Curved desktop screens : uprights (22 x 40 mm in section) are finished with end caps fitted to the upper extremities. Uprights and lower section cross-bar (section 14 x 25) assembled by means of a 4mm thick steel plate coated in epoxy paint and four ø 3.5 mm screws holding the structure together at the extremities:

Overall dimensions : W. 1184 / 1384 / 1584 / 1784 x H. 500 mm.




## Attachment

- 6 Clamps are used to attach the desktop screens to the worktops and are essential supporting elements. These are positioned at either end of the screen and secured to the panel by means of a metal guide plate that inserts into the uprights. For desk tops 25 to 30 mm thick, other sizes on request. Epoxy lacquered steel in white or aluminium grey finish.

Single desk, at the front or on sides	Set of standard clamps
Double desks, in face-to-face or lateral position	Set of double clamps
For Bench workstations	Clamps for Bench design: for direct attachment to the metal structure of the desk. (set of specifically designed clamps supplied with screens:)

## Overview in cm

Panneaux droits



Panneaux courbes



## Capacity

Maximum load per desktop screen

**10 KG**

## Shadecard

### Cat. B fabrics

from stock



Light grey




Light blue


on request



Beige



Glacier blue



Prairie green



Vermilion red



Plum



Black

## Melamine top (only rectangular screens)

from stock



Snow white



White maple




Light oak



French apple

## Finish for structures and clamps

from stock



White



Aluminium grey

## Optional accessories

Optional accessories, up to a maximum load of 3 Kg, can be fitted to the top edge of the screens thanks to a fixation groove running along either side.

### Puebli range of accessories.

(Remark : curved design screens can only be fitted with the pencil cup)









### Tablet PC stand



## Connector element

1 connector can be used to join 2, 3 or 4 desktop screens.  
H. 40 cm.



-  Worktop
-  Desktop screen for desk W. 120 to 180 cm
-  Lateral screen W. 81.7 cm
-  Connector kit